

WEST Search History for Application 10599451

Creation Date: 2008091818:15

Query	DB	Op.	Plur.	Thes.
levocetirizine or ((2-(2-(4-((R)-(4-chlorophenyl)-phenylmethyl)piperazin-1-yl)ethoxy)acetic acid)) or Xusal or Xyzal or ((-)-Cetirizine) or ((R)-Cetirizine) or Xazal or (Acetic acid, (2-(4-((R)-(4-chlorophenyl)phenylmethyl)-1-piperazinyl)ethoxy)-) or (2-(4-((R-p-Chloro-alpha-phenylbenzyl)-1-piperazinyl)ethoxy)acetic acid) or (130018-77-8)	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES	ASSIGNEE
(methyl parahydroxybenzoate) or (Methyl paraben) or (methyl 4-hydroxybenzoate) or Aseptofom or Methylben or METHYLPARABEN or Preserval or Maseptol or Methaben or Metoxyde or Metaben or Nipagin or (Methyl 4-hydroxybenzoate) or (Methyl p-hydroxybenzoate) or methylparaben or (Methyl p-oxybenzoate) or (Methyl p-hydroxybenzoate) or (4-(Methoxycarbonyl)phenol) or (Benzoic acid, 4-hydroxy-, methyl ester) or (4-Hydroxybenzoic acid methyl ester)	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES	ASSIGNEE
(propyl parahydroxybenzoate) or (Propyl paraben) or PROPYLPARABEN or Nipazol or Propylparasept or Parasept or Paseptol or Propagin or Nipasol or Paraben or (Betacide P) or (Nipasol P) or (Chemacide pk) or (Chemocide pk) or (Propyl Parasept) or (Aseptofom P) or (Propyl Butex) or (Preserval P) or (Propyl Chemosept) or (Betacine P) or (Protaben P) or (Tegosept P) or (Propyl aseptofom) or (Bonomold OP) or (Nipagin P) or (Nipasol M) or (Solbrol P) or (Propyl chemsept) or (Propyl 4-hydroxybenzoate) or (Pulvis conservans) or (p-Hydroxypropyl benzoate) or (Propyl p-hydroxybenzoate) or (4-Hydroxybenzoic acid propyl ester) or (p-Hydroxybenzoic acid propyl ester)	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES	ASSIGNEE
(levocetirizine or ((2-(2-(4-((R)-(4-chlorophenyl)-phenylmethyl)piperazin-1-yl)ethoxy)acetic acid)) or Xusal or Xyzal or ((-)-Cetirizine) or ((R)-Cetirizine) or Xazal or (Acetic acid, (2-(4-((R)-(4-chlorophenyl)phenylmethyl)-1-piperazinyl)ethoxy)-) or (2-(4-((R-p-Chloro-alpha-phenylbenzyl)-1-piperazinyl)ethoxy)acetic acid) or (130018-77-8)) and ((methyl parahydroxybenzoate) or (Methyl paraben) or (methyl 4-hydroxybenzoate) or Aseptofom or Methylben or METHYLPARABEN or Preserval or Maseptol or Methaben or Metoxyde or Metaben or Nipagin or (Methyl 4-hydroxybenzoate) or (Methyl p-hydroxybenzoate) or methylparaben or (Methyl p-oxybenzoate) or (Methyl p-hydroxybenzoate) or (4-(Methoxycarbonyl)phenol) or (Benzoic acid, 4-hydroxy-, methyl ester) or (4-Hydroxybenzoic acid methyl ester)) and ((propyl parahydroxybenzoate) or (Propyl paraben) or PROPYLPARABEN or Nipazol or Propylparasept or Parasept or Paseptol or Propagin or Nipasol or Paraben or (Betacide P) or (Nipasol P) or (Chemacide pk) or (Chemocide pk) or (Propyl Parasept) or (Aseptofom P) or (Propyl Butex) or (Preserval P) or (Propyl Chemosept) or (Betacine P) or	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES	ASSIGNEE

(Protaben P) or (Tegosept P) or (Propyl aseptoform) or (Bonomold OP) or (Nipagin P) or (Nipazol M) or (Solbrol P) or (Propyl chemsept) or (Propyl 4-hydroxybenzoate) or (Pulvis conservans) or (p-Hydroxypropyl benzoate) or (Propyl p-hydroxybenzoate) or (4-Hydroxybenzoic acid propyl ester) or (p-Hydroxybenzoic acid propyl ester))				
(levocetirizine or ((2-(2-(4-((R)-(4-chlorophenyl)-phenylmethyl)piperazin-1-yl)ethoxy)acetic acid)) or Xusal or Xyzal or ((-)-Cetirizine) or ((R)-Cetirizine) or Xazal or (Acetic acid, (2-(4-((R)-(4-chlorophenyl)phenylmethyl)-1-piperazinyl)ethoxy)-) or (2-(4-((R-p-Chloro-alpha-phenylbenzyl)-1-piperazinyl)ethoxy)acetic acid) or (130018-77-8) and (methyl parahydroxybenzoate) or (Methyl paraben) or (methyl 4-hydroxybenzoate) or Aseptofom or Methylben or METHYL.PARABEN or Preserval or Maseptol or Methaben or Metoxyde or Metaben or Nipagin or (Methyl 4-hydroxybenzoate) or (Methyl p-hydroxybenzoate) or methylparaben or (Methyl p-oxybenzoate) or (Methyl p-hydroxybenzoate) or (4-(Methoxycarbonyl)phenol) or (Benzoic acid, 4-hydroxy-, methyl ester) or (4-Hydroxybenzoic acid methyl ester) and (propyl parahydroxybenzoate) or (Propyl paraben) or PROPYL.PARABEN or Nipazol or Propylparasept or Parasept or Paseptol or Propagin or Nipazol or Paraben or (Betacide P) or (Nipazol P) or (Chemacide pk) or (Chemocide pk) or (Propyl Parasept) or (Aseptofom P) or (Propyl Butex) or (Preserval P) or (Propyl Chemosept) or (Betacine P) or (Protaben P) or (Tegosept P) or (Propyl aseptoform) or (Bonomold OP) or (Nipagin P) or (Nipazol M) or (Solbrol P) or (Propyl chemsept) or (Propyl 4-hydroxybenzoate) or (Pulvis conservans) or (p-Hydroxypropyl benzoate) or (Propyl p-hydroxybenzoate) or (4-Hydroxybenzoic acid propyl ester) or (p-Hydroxybenzoic acid propyl ester)) and (@pd<20040714 or @ad<20040714 or @riad<20040714)	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES	ASSIGNEE
(levocetirizine or ((2-(2-(4-((R)-(4-chlorophenyl)-phenylmethyl)piperazin-1-yl)ethoxy)acetic acid)) or Xusal or Xyzal or ((-)-Cetirizine) or ((R)-Cetirizine) or Xazal or (Acetic acid, (2-(4-((R)-(4-chlorophenyl)phenylmethyl)-1-piperazinyl)ethoxy)-) or (2-(4-((R-p-Chloro-alpha-phenylbenzyl)-1-piperazinyl)ethoxy)acetic acid) or (130018-77-8) and (methyl parahydroxybenzoate) or (Methyl paraben) or (methyl 4-hydroxybenzoate) or Aseptofom or Methylben or METHYL.PARABEN or Preserval or Maseptol or Methaben or Metoxyde or Metaben or Nipagin or (Methyl 4-hydroxybenzoate) or (Methyl p-hydroxybenzoate) or methylparaben or (Methyl p-oxybenzoate) or (Methyl p-hydroxybenzoate) or (4-(Methoxycarbonyl)phenol) or (Benzoic acid, 4-hydroxy-, methyl ester) or (4-Hydroxybenzoic acid methyl ester) and (propyl parahydroxybenzoate) or (Propyl paraben) or PROPYL.PARABEN or Nipazol or Propylparasept or Parasept or Paseptol or Propagin or Nipazol or Paraben or (Betacide P) or (Nipazol P) or (Chemacide pk) or (Chemocide pk) or (Propyl Parasept) or (Aseptofom P) or (Propyl Butex) or (Preserval P) or (Propyl Chemosept) or (Betacine P) or (Protaben P) or (Tegosept P) or (Propyl aseptoform) or (Bonomold OP) or (Nipagin P) or (Nipazol M) or (Solbrol P) or (Propyl chemsept) or (Propyl	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES	ASSIGNEE

<p>4-hydroxybenzoate) or (Pulvis conservans) or (p-Hydroxypropyl benzoate) or (Propyl p-hydroxybenzoate) or (4-Hydroxybenzoic acid propyl ester) or (p-Hydroxybenzoic acid propyl ester) and (@pd<20040714 or @ad<20040714 or @rlad<20040714)) and (levocetirizine or ((2-(2-(4-((R)-(4-chlorophenyl)-phenylmethyl)piperazin-1-yl)ethoxy)acetic acid)) or Xusal or Xyzal or ((-)-Cetirizine) or ((R)-Cetirizine) or Xazal or (Acetic acid,</p> <p>(2-(4-((R)-(4-chlorophenyl)phenylmethyl)-1-piperazinyl)ethoxy)-) or (2-(4-((R-p-Chloro-alpha-phenylbenzyl)-1-piperazinyl)ethoxy)acetic acid) or (130018-77-8)) same (((methyl parahydroxybenzoate) or (Methyl paraben) or (methyl 4-hydroxybenzoate) or Aseptofom or Methylben or METHYLPARABEN or Preserval or Maseptol or Methaben or Metoxyde or Metaben or Nipagin or (Methyl 4-hydroxybenzoate) or (Methyl p-hydroxybenzoate) or methylparaben or (Methyl p-oxybenzoate) or (Methyl p-hydroxybenzoate) or (4-(Methoxycarbonyl)phenol) or (Benzoic acid, 4-hydroxy-, methyl ester) or (4-Hydroxybenzoic acid methyl ester)) or ((propyl parahydroxybenzoate) or (Propyl paraben) or PROPYLPARABEN or Nipazol or Propylparasept or Parasept or Paseptol or Propagin or Nipasol or Paraben or (Betacide P) or (Nipasol P) or (Chemacide pk) or (Chemocide pk) or (Propyl Parasept) or (Aseptofom P) or (Propyl Butex) or (Preserval P) or (Propyl Chemosept) or (Betacine P) or (Protaben P) or (Tegosept P) or (Propyl aseptoform) or (Bonomold OP) or (Nipagin P) or (Nipasol M) or (Solbrol P) or (Propyl chemsept) or (Propyl 4-hydroxybenzoate) or (Pulvis conservans) or (p-Hydroxypropyl benzoate) or (Propyl p-hydroxybenzoate) or (4-Hydroxybenzoic acid propyl ester) or (p-Hydroxybenzoic acid propyl ester)))</p>				
<p>(levocetirizine or ((2-(2-(4-((R)-(4-chlorophenyl)-phenylmethyl)piperazin-1-yl)ethoxy)acetic acid)) or Xusal or Xyzal or ((-)-Cetirizine) or ((R)-Cetirizine) or Xazal or (Acetic acid,</p> <p>(2-(4-((R)-(4-chlorophenyl)phenylmethyl)-1-piperazinyl)ethoxy)-) or (2-(4-((R-p-Chloro-alpha-phenylbenzyl)-1-piperazinyl)ethoxy)acetic acid) or (130018-77-8) and (methyl parahydroxybenzoate) or (Methyl paraben) or (methyl 4-hydroxybenzoate) or Aseptofom or Methylben or METHYLPARABEN or Preserval or Maseptol or Methaben or Metoxyde or Metaben or Nipagin or (Methyl 4-hydroxybenzoate) or (Methyl p-hydroxybenzoate) or methylparaben or (Methyl p-oxybenzoate) or (Methyl p-hydroxybenzoate) or (4-(Methoxycarbonyl)phenol) or (Benzoic acid, 4-hydroxy-, methyl ester) or (4-Hydroxybenzoic acid methyl ester) and (propyl parahydroxybenzoate) or (Propyl paraben) or PROPYLPARABEN or Nipazol or Propylparasept or Parasept or Paseptol or Propagin or Nipasol or Paraben or (Betacide P) or (Nipasol P) or (Chemacide pk) or (Chemocide pk) or (Propyl Parasept) or (Aseptofom P) or (Propyl Butex) or (Preserval P) or (Propyl Chemosept) or (Betacine P) or (Protaben P) or (Tegosept P) or (Propyl aseptoform) or (Bonomold OP) or (Nipagin P) or (Nipasol M) or (Solbrol P) or (Propyl chemsept) or (Propyl 4-hydroxybenzoate) or (Pulvis conservans) or (p-Hydroxypropyl benzoate) or (Propyl p-hydroxybenzoate) or (4-Hydroxybenzoic acid propyl ester) or (p-Hydroxybenzoic acid propyl ester) and (@pd<20040714 or @ad<20040714 or @rlad<20040714)) and (levocetirizine or</p>	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES	ASSIGNEE

((2-(2-(4-((R)-(4-chlorophenyl)-phenylmethyl)piperazin-1-yl)ethoxy)acetic acid)) or Xusal or Xyzal or ((-)-Cetirizine) or ((R)-Cetirizine) or Xazal or (Acetic acid, (2-(4-((R)-(4-chlorophenyl)phenylmethyl)-1-piperazinyloxy)-) or (2-(4-((R-p-Chloro-alpha-phenylbenzyl)-1-piperazinyloxy)acetic acid) or (130018-77-8)) .ti,ab,clm.				
US-5504113-\$.DID. OR US-6319927-\$.DID. OR US-6432961-\$.DID. OR WO-2004004705-\$.DID. OR EP-0605203-\$.DID. OR US-19853192951-\$.DID. OR JP-60204712-\$.DID. OR US-1331018-\$.DID.	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES	ASSIGNEE
US-5504113-\$.DID. OR US-6319927-\$.DID. OR US-6432961-\$.DID. OR US-1331018-\$.DID.	PGPB, USPT	ADJ	YES	ASSIGNEE